

Yempik S.r.l. Accessibility Conformance Report

EN 301 549 Edition

(Based on VPAT® Version 2.5Rev)

Name of Product/Version: Voxly LMS v1.0

Report Date: March 2026

Product Description: Voxly is a cloud-based AI-powered Learning Management System (LMS) for workplace safety training in Italy. Delivered as a web application accessible via modern browsers, it enables educators to create and manage safety training courses, and learners to access personalized assessment-driven learning paths including quizzes, flashcards, AI-generated podcasts, summaries, and an AI tutor.

Contact Information: accessibility@yempik.it

Notes: This report covers the Voxly web application interface accessed through standard web browsers (Chrome, Firefox, Safari, Edge). Voxly is not a native desktop or mobile application, does not include hardware components, and is not a closed system. The product does not provide two-way voice communication, relay services, or emergency service access. Sections pertaining to hardware, closed functionality, non-web documents, native software, authoring tools, two-way voice communication, video telephony, and relay/emergency services have been marked as Not Applicable. The AI-generated audio content (podcasts) is accompanied by text-based summaries as an alternative. The application UI language is Italian.

Evaluation Methods Used: Conformance evaluation was conducted through a combination of: (1) Manual code review of the application source code, including semantic HTML structure, ARIA implementation, keyboard navigation, and focus management; (2) Inspection of the component library (shadcn/ui built on Radix UI primitives) for built-in accessibility support; (3) Review of color contrast using the OKLch perceptual color system; (4) Functional testing of keyboard navigation, screen reader compatibility patterns, and form validation; (5) Analysis of responsive design and viewport behavior. Testing was performed by developers with knowledge of WCAG 2.1 guidelines and the EN 301 549 standard.

Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.0	Level A (Yes) Level AA (Yes) Level AAA (No)
Web Content Accessibility Guidelines 2.1	Level A (Yes) Level AA (Yes) Level AAA (No)
EN 301 549 Accessibility requirements for ICT products and services - V3.1.1 (2019-11) AND EN 301 549 Accessibility requirements for ICT products and services - V3.2.1 (2021-03)	(Yes)

Terms

The terms used in the Conformance Level information are defined as follows:

Supports: The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.

Partially Supports: Some functionality of the product does not meet the criterion.

Does Not Support: The majority of product functionality does not meet the criterion.

Not Applicable: The criterion is not relevant to the product.

Not Evaluated: The product has not been evaluated against the criterion. This can only be used in WCAG Level AAA criteria.

WCAG 2.x Report

Tables 1 and 2 document conformance with EN 301 549:

Clause 9 - Web

Clauses 10.1-10.4 of Clause 10 - Non-web documents

Clauses 11.1- 11.4 and 11.8.2 of Clause 11 - Software

Clauses 12.1.2 and 12.2.4 of Clause 12 - Documentation and support services

Note: When reporting on conformance with the WCAG 2.x Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the WCAG 2.1 Conformance Requirements.

Table 1: Success Criteria, Level A

Notes:

Criteria	Conformance Level	Remarks and Explanations
1.1.1 Non-text Content (Level A) Also applies to: EN 301 549 Criteria 9.1.1.1 (Web) 10.1.1.1 (Non-web document) 11.1.1.1 (Open Functionality Software) 11.1.1.2 (Closed Functionality Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs)	Web: Supports Electronic Docs: Not Applicable Software: Not Applicable Closed: Not Applicable Authoring Tool: Not Applicable	Web: All meaningful images use alt text attributes. Decorative icons from Lucide React are properly handled. SVG elements include role="img" and aria-label attributes. Electronic Docs: Voxly is a web application and does not include this product type. Software: Voxly is a web application and does not include this product type. Closed: Voxly is a web application and does not include this product type. Authoring Tool: Voxly is a web application and does not include this product type.
1.2.1 Audio-only and Video-only (Prerecorded) (Level A) Also applies to: EN 301 549 Criteria 9.1.2.1 (Web) 10.1.2.1 (Non-web document) 11.1.2.1 (Open Functionality Software) 11.1.2.1 and 11.1.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs)	Web: Not Applicable Electronic Docs: Not Applicable Software: Not Applicable Closed: Not Applicable Authoring Tool: Not Applicable	Web: Voxly does not include prerecorded audio-only or video-only content as standalone media. AI-generated podcast audio is accompanied by text summaries as an alternative. Electronic Docs: Voxly is a web application and does not include this product type. Software: Voxly is a web application and does not include this product type. Closed: Voxly is a web application and does not include this product type. Authoring Tool: Voxly is a web application and does not include this product type.
1.2.2 Captions (Prerecorded) (Level A) Also applies to: EN 301 549 Criteria 9.1.2.2 (Web) 10.1.2.2 (Non-web document) 11.1.2.2 (Open Functionality Software) 11.1.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs)	Web: Partially Supports Electronic Docs: Not Applicable Software: Not Applicable Closed: Not Applicable Authoring Tool: Not Applicable	Web: AI-generated podcast audio has text-based summaries available. Formal caption files (e.g., WebVTT) for prerecorded audio content are planned for a future release. Electronic Docs: Voxly is a web application and does not include this product type. Software: Voxly is a web application and does not include this product type. Closed: Voxly is a web application and does not include this product type. Authoring Tool: Voxly is a web application and does not include this product type.
1.2.3 Audio Description or Media Alternative (Prerecorded) (Level A) Also applies to: EN 301 549 Criteria 9.1.2.3 (Web) 10.1.2.3 (Non-web document) 11.1.2.3.1 (Open Functionality Software) 11.1.2.3.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs)	Web: Not Applicable Electronic Docs: Not Applicable Software: Not Applicable Closed: Not Applicable Authoring Tool: Not Applicable	Web: The application does not include prerecorded synchronized media requiring audio descriptions. The AI avatar feature provides supplementary visual feedback only. Electronic Docs: Voxly is a web application and does not include this product type. Software: Voxly is a web application and does not include this product type. Closed: Voxly is a web application and does not include this product type. Authoring Tool: Voxly is a web application and does not include this product type.
1.3.1 Info and Relationships (Level A) Also applies to: EN 301 549 Criteria 9.1.3.1 (Web) 10.1.3.1 (Non-web document) 11.1.3.1 (Open Functionality Software) 11.1.3.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs)	Web: Supports Electronic Docs: Not Applicable Software: Not Applicable Closed: Not Applicable Authoring Tool: Not Applicable	Web: Content uses semantic HTML5 elements (headings, lists, tables, form labels). ARIA attributes convey relationships. Label elements are associated with form controls via htmlFor/id pairing. Electronic Docs: Voxly is a web application and does not include this product type. Software: Voxly is a web application and does not include this product type. Closed: Voxly is a web application and does not include this product type. Authoring Tool: Voxly is a web application and does not include this product type.

Criteria	Conformance Level	Remarks and Explanations
1.3.2 Meaningful Sequence (Level A) Also applies to: EN 301 549 Criteria 9.1.3.2 (Web) 10.1.3.2 (Non-web document) 11.1.3.2.1 (Open Functionality Software) 11.1.3.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs)	Web: Supports Electronic Docs: Not Applicable Software: Not Applicable Closed: Not Applicable Authoring Tool: Not Applicable	Web: The DOM order reflects the meaningful reading sequence. CSS layouts (flexbox/grid) do not alter semantic order. Electronic Docs: Voxly is a web application and does not include this product type. Software: Voxly is a web application and does not include this product type. Closed: Voxly is a web application and does not include this product type. Authoring Tool: Voxly is a web application and does not include this product type.
1.3.3 Sensory Characteristics (Level A) Also applies to: EN 301 549 Criteria 9.1.3.3 (Web) 10.1.3.3 (Non-web document) 11.1.3.3 (Open Functionality Software) 11.1.3.3 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs)	Web: Supports Electronic Docs: Not Applicable Software: Not Applicable Closed: Not Applicable Authoring Tool: Not Applicable	Web: Instructions do not rely solely on sensory characteristics. Form fields use text labels; errors use descriptive text messages. Electronic Docs: Voxly is a web application and does not include this product type. Software: Voxly is a web application and does not include this product type. Closed: Voxly is a web application and does not include this product type. Authoring Tool: Voxly is a web application and does not include this product type.
1.4.1 Use of Color (Level A) Also applies to: EN 301 549 Criteria 9.1.4.1 (Web) 10.1.4.1 (Non-web document) 11.1.4.1 (Open Functionality Software) 11.1.4.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs)	Web: Supports Electronic Docs: Not Applicable Software: Not Applicable Closed: Not Applicable Authoring Tool: Not Applicable	Web: Color is not the sole means of conveying information. Status indicators use text labels and icons in addition to color. Electronic Docs: Voxly is a web application and does not include this product type. Software: Voxly is a web application and does not include this product type. Closed: Voxly is a web application and does not include this product type. Authoring Tool: Voxly is a web application and does not include this product type.
1.4.2 Audio Control (Level A) Also applies to: EN 301 549 Criteria 9.1.4.2 (Web) 10.1.4.2 (Non-web document) 11.1.4.2 (Open Functionality Software) 11.1.4.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs)	Web: Supports Electronic Docs: Not Applicable Software: Not Applicable Closed: Not Applicable Authoring Tool: Not Applicable	Web: No audio auto-plays. Podcast audio requires explicit user action to start. No background audio plays for more than 3 seconds. Electronic Docs: Voxly is a web application and does not include this product type. Software: Voxly is a web application and does not include this product type. Closed: Voxly is a web application and does not include this product type. Authoring Tool: Voxly is a web application and does not include this product type.
2.1.1 Keyboard (Level A) Also applies to: EN 301 549 Criteria 9.2.1.1 (Web) 10.2.1.1 (Non-web document) 11.2.1.1.1 (Open Functionality Software) 11.2.1.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs)	Web: Supports Electronic Docs: Not Applicable Software: Not Applicable Closed: Not Applicable Authoring Tool: Not Applicable	Web: All functionality is operable via keyboard. Radix UI primitives provide full keyboard support (Tab, Enter, Space, Escape, arrow keys). Electronic Docs: Voxly is a web application and does not include this product type. Software: Voxly is a web application and does not include this product type. Closed: Voxly is a web application and does not include this product type. Authoring Tool: Voxly is a web application and does not include this product type.
2.1.2 No Keyboard Trap (Level A) Also applies to: EN 301 549 Criteria 9.2.1.2 (Web) 10.2.1.2 (Non-web document) 11.2.1.2 (Open Functionality Software) 11.2.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs)	Web: Supports Electronic Docs: Not Applicable Software: Not Applicable Closed: Not Applicable Authoring Tool: Not Applicable	Web: No keyboard traps exist. Modal dialogs support Escape key to close and proper focus management. Electronic Docs: Voxly is a web application and does not include this product type. Software: Voxly is a web application and does not include this product type. Closed: Voxly is a web application and does not include this product type. Authoring Tool: Voxly is a web application and does not include this product type.
2.1.4 Character Key Shortcuts (Level A 2.1 only) Also applies to: EN 301 549 Criteria 9.2.1.4 (Web) 10.2.1.4 (Non-web document) 11.2.1.4.1 (Open Functionality Software) 11.2.1.4.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs)	Web: Supports Electronic Docs: Not Applicable Software: Not Applicable Closed: Not Applicable Authoring Tool: Not Applicable	Web: No single-character key shortcuts are used. All keyboard interactions use standard browser/platform key combinations. Electronic Docs: Voxly is a web application and does not include this product type. Software: Voxly is a web application and does not include this product type. Closed: Voxly is a web application and does not include this product type. Authoring Tool: Voxly is a web application and does not include this product type.

Criteria	Conformance Level	Remarks and Explanations
2.2.1 Timing Adjustable (Level A) Also applies to: EN 301 549 Criteria 9.2.2.1 (Web) 10.2.2.1 (Non-web document) 11.2.2.1 (Open Functionality Software) 11.2.2.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs)	Web: Supports Electronic Docs: Not Applicable Software: Not Applicable Closed: Not Applicable Authoring Tool: Not Applicable	Web: No strict time limits are imposed on user interactions. Assessment conversations allow responses at the user's own pace. Electronic Docs: Voxly is a web application and does not include this product type. Software: Voxly is a web application and does not include this product type. Closed: Voxly is a web application and does not include this product type. Authoring Tool: Voxly is a web application and does not include this product type.
2.2.2 Pause, Stop, Hide (Level A) Also applies to: EN 301 549 Criteria 9.2.2.2 (Web) 10.2.2.2 (Non-web document) 11.2.2.2 (Open Functionality Software) 11.2.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs)	Web: Supports Electronic Docs: Not Applicable Software: Not Applicable Closed: Not Applicable Authoring Tool: Not Applicable	Web: The application does not include auto-updating, moving, or blinking content that starts automatically and lasts more than 5 seconds. No auto-scrolling or auto-updating information is present. Users control all content playback (e.g., podcasts). Electronic Docs: Voxly is a web application and does not include this product type. Software: Voxly is a web application and does not include this product type. Closed: Voxly is a web application and does not include this product type. Authoring Tool: Voxly is a web application and does not include this product type.
2.3.1 Three Flashes or Below Threshold (Level A) Also applies to: EN 301 549 Criteria 9.2.3.1 (Web) 10.2.3.1 (Non-web document) 11.2.3.1 (Open Functionality Software) 11.2.3.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs)	Web: Supports Electronic Docs: Not Applicable Software: Not Applicable Closed: Not Applicable Authoring Tool: Not Applicable	Web: No content flashes more than three times per second. No strobing or flashing effects are used in the interface. Electronic Docs: Voxly is a web application and does not include this product type. Software: Voxly is a web application and does not include this product type. Closed: Voxly is a web application and does not include this product type. Authoring Tool: Voxly is a web application and does not include this product type.
2.4.1 Bypass Blocks (Level A) Also applies to: EN 301 549 Criteria 9.2.4.1 (Web) 10.2.4.1 (Non-web document) – Does not apply 11.2.4.1 (Open Functionality Software) – Does not apply 11.2.4.1 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs)	Web: Supports Electronic Docs: Not Applicable Software: Not Applicable Closed: Not Applicable Authoring Tool: Not Applicable	Web: A skip navigation link ("Vai al contenuto principale") is provided at the top of each page, allowing keyboard users to bypass repeated navigation and reach the main content area directly. Electronic Docs: Voxly is a web application and does not include this product type. Software: Voxly is a web application and does not include this product type. Closed: Voxly is a web application and does not include this product type. Authoring Tool: Voxly is a web application and does not include this product type.
2.4.2 Page Titled (Level A) Also applies to: EN 301 549 Criteria 9.2.4.2 (Web) 10.2.4.2 (Non-web document) 11.2.4.2 (Open Functionality Software) - Does not apply 11.2.4.2 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs)	Web: Supports Electronic Docs: Not Applicable Software: Not Applicable Closed: Not Applicable Authoring Tool: Not Applicable	Web: Pages have descriptive titles. The root page title is "Voxly - Sicurezza sul Lavoro". Sub-pages provide context through the application navigation structure. Electronic Docs: Voxly is a web application and does not include this product type. Software: Voxly is a web application and does not include this product type. Closed: Voxly is a web application and does not include this product type. Authoring Tool: Voxly is a web application and does not include this product type.
2.4.3 Focus Order (Level A) Also applies to: EN 301 549 Criteria 9.2.4.3 (Web) 10.2.4.3 (Non-web document) 11.2.4.3 (Open Functionality Software) 11.2.4.3 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs)	Web: Supports Electronic Docs: Not Applicable Software: Not Applicable Closed: Not Applicable Authoring Tool: Not Applicable	Web: Focus order follows a logical sequence consistent with the visual layout and preserves meaning and operability. Interactive elements receive focus in a predictable tab order. Electronic Docs: Voxly is a web application and does not include this product type. Software: Voxly is a web application and does not include this product type. Closed: Voxly is a web application and does not include this product type. Authoring Tool: Voxly is a web application and does not include this product type.
2.4.4 Link Purpose (In Context) (Level A) Also applies to: EN 301 549 Criteria 9.2.4.4 (Web) 10.2.4.4 (Non-web document) 11.2.4.4 (Open Functionality Software) 11.2.4.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs)	Web: Supports Electronic Docs: Not Applicable Software: Not Applicable Closed: Not Applicable Authoring Tool: Not Applicable	Web: The purpose of each link is determinable from the link text or its surrounding context. Navigation links use descriptive Italian labels (e.g., "I miei corsi", "Impostazioni"). Electronic Docs: Voxly is a web application and does not include this product type. Software: Voxly is a web application and does not include this product type. Closed: Voxly is a web application and does not include this product type. Authoring Tool: Voxly is a web application and does not include this product type.

Criteria	Conformance Level	Remarks and Explanations
2.5.1 Pointer Gestures (Level A 2.1 only) Also applies to: EN 301 549 Criteria 9.2.5.1 (Web) 10.2.5.1 (Non-web document) 11.2.5.1 (Open Functionality Software) 11.2.5.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs)	Web: Supports Electronic Docs: Not Applicable Software: Not Applicable Closed: Not Applicable Authoring Tool: Not Applicable	Web: No path-based or multipoint pointer gestures are required for core functionality. All interactions can be completed with simple single-pointer actions (click/tap). Electronic Docs: Voxly is a web application and does not include this product type. Software: Voxly is a web application and does not include this product type. Closed: Voxly is a web application and does not include this product type. Authoring Tool: Voxly is a web application and does not include this product type.
2.5.2 Pointer Cancellation (Level A 2.1 only) Also applies to: EN 301 549 Criteria 9.2.5.2 (Web) 10.2.5.2 (Non-web document) 11.2.5.2 (Open Functionality Software) 11.2.5.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs)	Web: Supports Electronic Docs: Not Applicable Software: Not Applicable Closed: Not Applicable Authoring Tool: Not Applicable	Web: All pointer-activated functionality can be cancelled. Standard HTML form controls and buttons execute actions on the up-event (click), allowing users to move the pointer away to cancel. Electronic Docs: Voxly is a web application and does not include this product type. Software: Voxly is a web application and does not include this product type. Closed: Voxly is a web application and does not include this product type. Authoring Tool: Voxly is a web application and does not include this product type.
2.5.3 Label in Name (Level A 2.1 only) Also applies to: EN 301 549 Criteria 9.2.5.3 (Web) 10.2.5.3 (Non-web document) 11.2.5.3 (Open Functionality Software) 11.2.5.3 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs)	Web: Supports Electronic Docs: Not Applicable Software: Not Applicable Closed: Not Applicable Authoring Tool: Not Applicable	Web: The accessible name of all interactive elements matches or includes the visible label text. Buttons and links use their visible text as their accessible name. Electronic Docs: Voxly is a web application and does not include this product type. Software: Voxly is a web application and does not include this product type. Closed: Voxly is a web application and does not include this product type. Authoring Tool: Voxly is a web application and does not include this product type.
2.5.4 Motion Actuation (Level A 2.1 only) Also applies to: EN 301 549 Criteria 9.2.5.4 (Web) 10.2.5.4 (Non-web document) 11.2.5.4 (Open Functionality Software) 11.2.5.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs)	Web: Supports Electronic Docs: Not Applicable Software: Not Applicable Closed: Not Applicable Authoring Tool: Not Applicable	Web: The application does not include functionality triggered by device motion or user motion. No shake, tilt, or gesture-based interactions are used. Electronic Docs: Voxly is a web application and does not include this product type. Software: Voxly is a web application and does not include this product type. Closed: Voxly is a web application and does not include this product type. Authoring Tool: Voxly is a web application and does not include this product type.
3.1.1 Language of Page (Level A) Also applies to: EN 301 549 Criteria 9.3.1.1 (Web) 10.3.1.1 (Non-web document) 11.3.1.1.1 (Open Functionality Software) 11.3.1.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs)	Web: Supports Electronic Docs: Not Applicable Software: Not Applicable Closed: Not Applicable Authoring Tool: Not Applicable	Web: The default human language of the page is programmatically identified via lang="it" on the root html element. Electronic Docs: Voxly is a web application and does not include this product type. Software: Voxly is a web application and does not include this product type. Closed: Voxly is a web application and does not include this product type. Authoring Tool: Voxly is a web application and does not include this product type.
3.2.1 On Focus (Level A) Also applies to: EN 301 549 Criteria 9.3.2.1 (Web) 10.3.2.1 (Non-web document) 11.3.2.1 (Open Functionality Software) 11.3.2.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs)	Web: Supports Electronic Docs: Not Applicable Software: Not Applicable Closed: Not Applicable Authoring Tool: Not Applicable	Web: Receiving focus does not trigger a change of context. No unexpected navigation or form submission occurs when an element receives keyboard or pointer focus. Electronic Docs: Voxly is a web application and does not include this product type. Software: Voxly is a web application and does not include this product type. Closed: Voxly is a web application and does not include this product type. Authoring Tool: Voxly is a web application and does not include this product type.
3.2.2 On Input (Level A) Also applies to: EN 301 549 Criteria 9.3.2.2 (Web) 10.3.2.2 (Non-web document) 11.3.2.2 (Open Functionality Software) 11.3.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs)	Web: Supports Electronic Docs: Not Applicable Software: Not Applicable Closed: Not Applicable Authoring Tool: Not Applicable	Web: Changing the setting of a user interface component does not automatically cause a change of context unless the user has been advised of the behavior beforehand. Electronic Docs: Voxly is a web application and does not include this product type. Software: Voxly is a web application and does not include this product type. Closed: Voxly is a web application and does not include this product type. Authoring Tool: Voxly is a web application and does not include this product type.

Criteria	Conformance Level	Remarks and Explanations
3.3.1 Error Identification (Level A) Also applies to: EN 301 549 Criteria 9.3.3.1 (Web) 10.3.3.1 (Non-web document) 11.3.3.1.1 (Open Functionality Software) 11.3.3.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs)	Web: Supports Electronic Docs: Not Applicable Software: Not Applicable Closed: Not Applicable Authoring Tool: Not Applicable	Web: Input errors are automatically detected and described to the user in text, using role="alert" with descriptive Italian error messages (e.g., email validation feedback). Electronic Docs: Voxly is a web application and does not include this product type. Software: Voxly is a web application and does not include this product type. Closed: Voxly is a web application and does not include this product type. Authoring Tool: Voxly is a web application and does not include this product type.
3.3.2 Labels or Instructions (Level A) Also applies to: EN 301 549 Criteria 9.3.3.2 (Web) 10.3.3.2 (Non-web document) 11.3.3.2 (Open Functionality Software) 11.3.3.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs)	Web: Supports Electronic Docs: Not Applicable Software: Not Applicable Closed: Not Applicable Authoring Tool: Not Applicable	Web: Form inputs have associated labels via htmlFor/id pairing. Placeholder text provides additional guidance on expected input format where appropriate. Electronic Docs: Voxly is a web application and does not include this product type. Software: Voxly is a web application and does not include this product type. Closed: Voxly is a web application and does not include this product type. Authoring Tool: Voxly is a web application and does not include this product type.
4.1.1 Parsing (Level A) Also applies to: WCAG 2.0 and 2.1 – Always answer 'Supports' EN 301 549 Criteria 9.4.1.1 (Web) 10.4.1.1 (Non-web document) 11.4.1.1.1 (Open Functionality Software) 11.4.1.1.2 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs)	Web: Supports Electronic Docs: Not Applicable Software: Not Applicable Closed: Not Applicable Authoring Tool: Not Applicable	Web: The web application produces valid, well-formed HTML generated by React/Next.js. No duplicate IDs or improper nesting in the output markup. (Note: This criterion is always satisfied in WCAG 2.1 per the W3C errata.) Electronic Docs: Voxly is a web application and does not include this product type. Software: Voxly is a web application and does not include this product type. Closed: Voxly is a web application and does not include this product type. Authoring Tool: Voxly is a web application and does not include this product type.
4.1.2 Name, Role, Value (Level A) Also applies to: EN 301 549 Criteria 9.4.1.2 (Web) 10.4.1.2 (Non-web document) 11.4.1.2.1 (Open Functionality Software) 11.4.1.2.2 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs)	Web: Supports Electronic Docs: Not Applicable Software: Not Applicable Closed: Not Applicable Authoring Tool: Not Applicable	Web: All user interface components have programmatically determinable names, roles, states, and values. Radix UI primitives implement WAI-ARIA design patterns for all interactive widgets (dialogs, tabs, radio groups, etc.). Electronic Docs: Voxly is a web application and does not include this product type. Software: Voxly is a web application and does not include this product type. Closed: Voxly is a web application and does not include this product type. Authoring Tool: Voxly is a web application and does not include this product type.

Table 2: Success Criteria, Level AA

Notes:

Criteria	Conformance Level	Remarks and Explanations
1.2.4 Captions (Live) (Level AA) Also applies to: EN 301 549 Criteria 9.1.2.4 (Web) 10.1.2.4 (Non-web document) 11.1.2.4 (Open Functionality Software) 11.1.2.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs)	Web: Not Applicable Electronic Docs: Not Applicable Software: Not Applicable Closed: Not Applicable Authoring Tool: Not Applicable	Web: The application does not include live audio content requiring real-time captions. The AI tutor feature uses text-based chat, not live audio streaming. Electronic Docs: Voxly is a web application and does not include this product type. Software: Voxly is a web application and does not include this product type. Closed: Voxly is a web application and does not include this product type. Authoring Tool: Voxly is a web application and does not include this product type.
1.2.5 Audio Description (Prerecorded) (Level AA) Also applies to: EN 301 549 Criteria 9.1.2.5 (Web) 10.1.2.5 (Non-web document) 11.1.2.5 (Open Functionality Software) 11.1.2.5 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs)	Web: Not Applicable Electronic Docs: Not Applicable Software: Not Applicable Closed: Not Applicable Authoring Tool: Not Applicable	Web: The application does not include prerecorded video content requiring audio description. Electronic Docs: Voxly is a web application and does not include this product type. Software: Voxly is a web application and does not include this product type. Closed: Voxly is a web application and does not include this product type. Authoring Tool: Voxly is a web application and does not include this product type.

Criteria	Conformance Level	Remarks and Explanations
1.3.4 Orientation (Level AA 2.1 only) Also applies to: EN 301 549 Criteria 9.1.3.4 (Web) 10.1.3.4 (Non-web document) 11.1.3.4 (Open Functionality Software) 11.1.3.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs)	Web: Supports Electronic Docs: Not Applicable Software: Not Applicable Closed: Not Applicable Authoring Tool: Not Applicable	Web: Content is not restricted to a single display orientation. The responsive design adapts to both portrait and landscape orientations. Electronic Docs: Voxly is a web application and does not include this product type. Software: Voxly is a web application and does not include this product type. Closed: Voxly is a web application and does not include this product type. Authoring Tool: Voxly is a web application and does not include this product type.
1.3.5 Identify Input Purpose (Level AA 2.1 only) Also applies to: EN 301 549 Criteria 9.1.3.5 (Web) 10.1.3.5 (Non-web document) 11.1.3.5 (Open Functionality Software) 11.1.3.5 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs)	Web: Supports Electronic Docs: Not Applicable Software: Not Applicable Closed: Not Applicable Authoring Tool: Not Applicable	Web: Form inputs that collect user information (e.g., email) use appropriate HTML input types (type="email") that support autocomplete and input purpose identification. Electronic Docs: Voxly is a web application and does not include this product type. Software: Voxly is a web application and does not include this product type. Closed: Voxly is a web application and does not include this product type. Authoring Tool: Voxly is a web application and does not include this product type.
1.4.3 Contrast (Minimum) (Level AA) Also applies to: EN 301 549 Criteria 9.1.4.3 (Web) 10.1.4.3 (Non-web document) 11.1.4.3 (Open Functionality Software) 11.1.4.3 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs)	Web: Supports Electronic Docs: Not Applicable Software: Not Applicable Closed: Not Applicable Authoring Tool: Not Applicable	Web: The application uses an OKLch perceptual color system ensuring text meets the minimum 4.5:1 contrast ratio for normal text and 3:1 for large text against backgrounds in both light and dark modes. Electronic Docs: Voxly is a web application and does not include this product type. Software: Voxly is a web application and does not include this product type. Closed: Voxly is a web application and does not include this product type. Authoring Tool: Voxly is a web application and does not include this product type.
1.4.4 Resize text (Level AA) Also applies to: EN 301 549 Criteria 9.1.4.4 (Web) 10.1.4.4 (Non-web document) 11.1.4.4.1 (Open Functionality Software) 11.1.4.4.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs)	Web: Supports Electronic Docs: Not Applicable Software: Not Applicable Closed: Not Applicable Authoring Tool: Not Applicable	Web: Text can be resized up to 200% using browser zoom without loss of content or functionality. The responsive layout adapts to text size changes. Electronic Docs: Voxly is a web application and does not include this product type. Software: Voxly is a web application and does not include this product type. Closed: Voxly is a web application and does not include this product type. Authoring Tool: Voxly is a web application and does not include this product type.
1.4.5 Images of Text (Level AA) Also applies to: EN 301 549 Criteria 9.1.4.5 (Web) 10.1.4.5 (Non-web document) 11.1.4.5.1 (Open Functionality Software) 11.1.4.5.2 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs)	Web: Supports Electronic Docs: Not Applicable Software: Not Applicable Closed: Not Applicable Authoring Tool: Not Applicable	Web: Images of text are not used. All text content is rendered as actual text using web fonts. Electronic Docs: Voxly is a web application and does not include this product type. Software: Voxly is a web application and does not include this product type. Closed: Voxly is a web application and does not include this product type. Authoring Tool: Voxly is a web application and does not include this product type.
1.4.10 Reflow (Level AA 2.1 only) Also applies to: EN 301 549 Criteria 9.1.4.10 (Web) 10.1.4.10 (Non-web document) 11.1.4.10.1 (Open Functionality Software) 11.1.4.10.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs)	Web: Supports Electronic Docs: Not Applicable Software: Not Applicable Closed: Not Applicable Authoring Tool: Not Applicable	Web: Content reflows at 320 CSS pixels width without requiring horizontal scrolling. The responsive Tailwind CSS layout adapts to narrow viewports. Electronic Docs: Voxly is a web application and does not include this product type. Software: Voxly is a web application and does not include this product type. Closed: Voxly is a web application and does not include this product type. Authoring Tool: Voxly is a web application and does not include this product type.
1.4.11 Non-text Contrast (Level AA 2.1 only) Also applies to: EN 301 549 Criteria 9.1.4.11 (Web) 10.1.4.11 (Non-web document) 11.1.4.11 (Open Functionality Software) 11.1.4.11 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs)	Web: Supports Electronic Docs: Not Applicable Software: Not Applicable Closed: Not Applicable Authoring Tool: Not Applicable	Web: UI components and graphical objects have sufficient contrast (at least 3:1) against adjacent colors. Focus indicators, form borders, and interactive element boundaries meet contrast requirements. Electronic Docs: Voxly is a web application and does not include this product type. Software: Voxly is a web application and does not include this product type. Closed: Voxly is a web application and does not include this product type. Authoring Tool: Voxly is a web application and does not include this product type.

Criteria	Conformance Level	Remarks and Explanations
1.4.12 Text Spacing (Level AA 2.1 only) Also applies to: EN 301 549 Criteria 9.1.4.12 (Web) 10.1.4.12 (Non-web document) 11.1.4.12 (Open Functionality Software) 11.1.4.12 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs)	Web: Supports Electronic Docs: Not Applicable Software: Not Applicable Closed: Not Applicable Authoring Tool: Not Applicable	Web: No loss of content or functionality occurs when users override text spacing properties. The layout accommodates increased line height, paragraph spacing, letter spacing, and word spacing. Electronic Docs: Voxly is a web application and does not include this product type. Software: Voxly is a web application and does not include this product type. Closed: Voxly is a web application and does not include this product type. Authoring Tool: Voxly is a web application and does not include this product type.
1.4.13 Content on Hover or Focus (Level AA 2.1 only) Also applies to: EN 301 549 Criteria 9.1.4.13 (Web) 10.1.4.13 (Non-web document) 11.1.4.13 (Open Functionality Software) 11.1.4.13 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs)	Web: Supports Electronic Docs: Not Applicable Software: Not Applicable Closed: Not Applicable Authoring Tool: Not Applicable	Web: Content that appears on hover or focus (tooltips, dropdowns) is dismissible, hoverable, and persistent. Radix UI components implement these behaviors natively. Electronic Docs: Voxly is a web application and does not include this product type. Software: Voxly is a web application and does not include this product type. Closed: Voxly is a web application and does not include this product type. Authoring Tool: Voxly is a web application and does not include this product type.
2.4.5 Multiple Ways (Level AA) Also applies to: EN 301 549 Criteria 9.2.4.5 (Web) 10.2.4.5 (Non-web document) – Does not apply 11.2.4.5 (Open Functionality Software) – Does not apply 11.2.4.5 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs)	Web: Supports Electronic Docs: Not Applicable Software: Not Applicable Closed: Not Applicable Authoring Tool: Not Applicable	Web: Multiple ways to locate pages are available: navigation menu, direct URL access, and breadcrumb-style context within the course structure. Electronic Docs: Voxly is a web application and does not include this product type. Software: Voxly is a web application and does not include this product type. Closed: Voxly is a web application and does not include this product type. Authoring Tool: Voxly is a web application and does not include this product type.
2.4.6 Headings and Labels (Level AA) Also applies to: EN 301 549 Criteria 9.2.4.6 (Web) 10.2.4.6 (Non-web document) 11.2.4.6 (Open Functionality Software) 11.2.4.6 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs)	Web: Supports Electronic Docs: Not Applicable Software: Not Applicable Closed: Not Applicable Authoring Tool: Not Applicable	Web: Headings and labels describe the topic or purpose of the content they introduce. Italian language headings are descriptive and contextually meaningful. Electronic Docs: Voxly is a web application and does not include this product type. Software: Voxly is a web application and does not include this product type. Closed: Voxly is a web application and does not include this product type. Authoring Tool: Voxly is a web application and does not include this product type.
2.4.7 Focus Visible (Level AA) Also applies to: EN 301 549 Criteria 9.2.4.7 (Web) 10.2.4.7 (Non-web document) 11.2.4.7 (Open Functionality Software) 11.2.4.7 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs)	Web: Supports Electronic Docs: Not Applicable Software: Not Applicable Closed: Not Applicable Authoring Tool: Not Applicable	Web: A visible focus indicator is provided on all keyboard-focusable elements using a global focus-visible outline style (outline-2, outline-offset-2, outline-ring). Electronic Docs: Voxly is a web application and does not include this product type. Software: Voxly is a web application and does not include this product type. Closed: Voxly is a web application and does not include this product type. Authoring Tool: Voxly is a web application and does not include this product type.
3.1.2 Language of Parts (Level AA) Also applies to: EN 301 549 Criteria 9.3.1.2 (Web) 10.3.1.2 (Non-web document) 11.3.1.2 (Open Functionality Software) – Does not apply 11.3.1.2 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs)	Web: Supports Electronic Docs: Not Applicable Software: Not Applicable Closed: Not Applicable Authoring Tool: Not Applicable	Web: The application interface language is consistently Italian (lang="it"). No mixed-language content sections require additional lang attributes, as all generated content and UI labels are in Italian. Electronic Docs: Voxly is a web application and does not include this product type. Software: Voxly is a web application and does not include this product type. Closed: Voxly is a web application and does not include this product type. Authoring Tool: Voxly is a web application and does not include this product type.
3.2.3 Consistent Navigation (Level AA) Also applies to: EN 301 549 Criteria 9.3.2.3 (Web) 10.3.2.3 (Non-web document) – Does not apply 11.3.2.3 (Open Functionality Software) – Does not apply 11.3.2.3 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs)	Web: Supports Electronic Docs: Not Applicable Software: Not Applicable Closed: Not Applicable Authoring Tool: Not Applicable	Web: Navigation mechanisms that are repeated across multiple pages occur in the same relative order each time. The sidebar navigation and header layout are consistent across all dashboard pages. Electronic Docs: Voxly is a web application and does not include this product type. Software: Voxly is a web application and does not include this product type. Closed: Voxly is a web application and does not include this product type. Authoring Tool: Voxly is a web application and does not include this product type.

Criteria	Conformance Level	Remarks and Explanations
3.2.4 Consistent Identification (Level AA) Also applies to: EN 301 549 Criteria 9.3.2.4 (Web) 10.3.2.4 (Non-web document) – Does not apply 11.3.2.4 (Open Functionality Software) – Does not apply 11.3.2.4 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs)	Web: Supports Electronic Docs: Not Applicable Software: Not Applicable Closed: Not Applicable Authoring Tool: Not Applicable	Web: Components with the same functionality are identified consistently across the application. Icon usage, button labels, and navigation items maintain consistent naming and appearance throughout. Electronic Docs: Voxly is a web application and does not include this product type. Software: Voxly is a web application and does not include this product type. Closed: Voxly is a web application and does not include this product type. Authoring Tool: Voxly is a web application and does not include this product type.
3.3.3 Error Suggestion (Level AA) Also applies to: EN 301 549 Criteria 9.3.3.3 (Web) 10.3.3.3 (Non-web document) 11.3.3.3 (Open Functionality Software) 11.3.3.3 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs)	Web: Supports Electronic Docs: Not Applicable Software: Not Applicable Closed: Not Applicable Authoring Tool: Not Applicable	Web: When input errors are detected and suggestions for correction are known, the suggestions are provided to the user in text (e.g., email format validation messages in Italian). Electronic Docs: Voxly is a web application and does not include this product type. Software: Voxly is a web application and does not include this product type. Closed: Voxly is a web application and does not include this product type. Authoring Tool: Voxly is a web application and does not include this product type.
3.3.4 Error Prevention (Legal, Financial, Data) (Level AA) Also applies to: EN 301 549 Criteria 9.3.3.4 (Web) 10.3.3.4 (Non-web document) 11.3.3.4 (Open Functionality Software) 11.3.3.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs)	Web: Supports Electronic Docs: Not Applicable Software: Not Applicable Closed: Not Applicable Authoring Tool: Not Applicable	Web: For forms that submit or modify data, submissions can be reviewed before final confirmation. The course creation wizard allows step-by-step review. Assessment responses are submitted per-question with the opportunity to review answers. Electronic Docs: Voxly is a web application and does not include this product type. Software: Voxly is a web application and does not include this product type. Closed: Voxly is a web application and does not include this product type. Authoring Tool: Voxly is a web application and does not include this product type.
4.1.3 Status Messages (Level AA 2.1 only) Also applies to: EN 301 549 Criteria 9.4.1.3 (Web) 10.4.1.3 (Non-web document) – Does not apply 11.4.1.3 (Open Functionality Software) – Does not apply 11.4.1.3 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs)	Web: Supports Electronic Docs: Not Applicable Software: Not Applicable Closed: Not Applicable Authoring Tool: Not Applicable	Web: Status messages (loading indicators, form validation results, progress updates) use ARIA live regions (role="status", role="alert", role="log" with aria-live="polite") so they are announced by assistive technologies without receiving focus. Electronic Docs: Voxly is a web application and does not include this product type. Software: Voxly is a web application and does not include this product type. Closed: Voxly is a web application and does not include this product type. Authoring Tool: Voxly is a web application and does not include this product type.

Table 3: Success Criteria, Level AAA

Notes:

Criteria	Conformance Level	Remarks and Explanations
1.2.6 Sign Language (Prerecorded) (Level AAA) EN 301 549 Criteria – Does not apply	Web: Not Evaluated Electronic Docs: Not Applicable Software: Not Applicable Closed: Not Applicable Authoring Tool: Not Applicable	Web: Level AAA conformance is not within the scope of this evaluation. Electronic Docs: Not applicable to this product. Software: Not applicable to this product. Closed: Not applicable to this product. Authoring Tool: Not applicable to this product.
1.2.7 Extended Audio Description (Prerecorded) (Level AAA) EN 301 549 Criteria – Does not apply	Web: Not Evaluated Electronic Docs: Not Applicable Software: Not Applicable Closed: Not Applicable Authoring Tool: Not Applicable	Web: Level AAA conformance is not within the scope of this evaluation. Electronic Docs: Not applicable to this product. Software: Not applicable to this product. Closed: Not applicable to this product. Authoring Tool: Not applicable to this product.
1.2.8 Media Alternative (Prerecorded) (Level AAA) EN 301 549 Criteria – Does not apply	Web: Not Evaluated Electronic Docs: Not Applicable Software: Not Applicable Closed: Not Applicable Authoring Tool: Not Applicable	Web: Level AAA conformance is not within the scope of this evaluation. Electronic Docs: Not applicable to this product. Software: Not applicable to this product. Closed: Not applicable to this product. Authoring Tool: Not applicable to this product.

[illegible]

[illegible]

Criteria	Conformance Level	Remarks and Explanations
3.3.6 Error Prevention (All) (Level AAA) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Web: Not Evaluated Electronic Docs: Not Applicable Software: Not Applicable Closed: Not Applicable Authoring Tool: Not Applicable	Web: Level AAA conformance is not within the scope of this evaluation. Electronic Docs: Not applicable to this product. Software: Not applicable to this product. Closed: Not applicable to this product. Authoring Tool: Not applicable to this product.

EN 301 549 Report

Notes:

Clause 4: Functional Performance Statements (FPS)

Notes:

Criteria	Conformance Level	Remarks and Explanations
4.2.1 Usage without vision	Partially Supports	The web application supports screen reader usage through semantic HTML, ARIA attributes, and keyboard navigation. Text alternatives are provided for non-text content. Some dynamically generated AI content may have limited screen reader optimization.
4.2.2 Usage with limited vision	Supports	The application supports browser zoom up to 200% without loss of functionality. Text is rendered as actual text (not images). The OKLch color system provides high contrast. Responsive layout adapts to magnification.
4.2.3 Usage without perception of colour	Supports	Color is not the sole means of conveying information. Status indicators, errors, and interactive elements use text and icons in addition to color differentiation.
4.2.4 Usage without hearing	Supports	The primary interface is text-based. AI-generated podcast audio content has text summaries as alternatives. Assessment interactions are text-based chat.
4.2.5 Usage with limited hearing	Supports	Audio content is supplementary and accompanied by text alternatives. Volume control is available through the user's browser and operating system.
4.2.6 Usage with no or limited vocal capability	Supports	The application does not require voice input. All interactions are available through keyboard and pointer input.
4.2.7 Usage with limited manipulation or strength	Supports	All interactive elements are operable via keyboard with standard key combinations. No fine motor control or simultaneous actions are required.
4.2.8 Usage with limited reach	Not Applicable	Voxly is a web application accessed through standard browsers. Physical reach requirements do not apply.
4.2.9 Minimize photosensitive seizure triggers	Supports	No content flashes more than three times per second. No strobing or animation effects that could trigger photosensitive reactions are used.
4.2.10 Usage with limited cognition, language or learning	Supports	The interface uses clear, consistent navigation patterns. Form validation provides specific error messages. Content is organized in a logical structure with descriptive headings.
4.2.11 Privacy	Supports	The application uses secure authentication (Supabase Auth for educators, cookie-based for learners). Personal data is handled in compliance with standard web security practices and is not exposed in the UI to unauthorized users.

Clause 5: Generic Requirements

Notes:

Criteria	Conformance Level	Remarks and Explanations
5.1 Closed functionality	Heading cell – no response required	Heading cell – no response required
5.1.2 General	Heading cell – no response required	Heading cell – no response required
5.1.2.1 Closed functionality	See 5.2 through 13	See information in 5.2 through 13
5.1.2.2 Assistive technology	See 5.1.3 through 5.1.6	See information in 5.1.3 through 5.1.6
5.1.3 Non-visual access	Heading cell – no response required	Heading cell – no response required
5.1.3.1 Audio output of visual information	Not Applicable	Voxly is a web application and does not have closed functionality. These criteria apply to ICT with closed functionality only.
5.1.3.2 Auditory output delivery including speech	Not Applicable	Voxly is a web application and does not have closed functionality. These criteria apply to ICT with closed functionality only.
5.1.3.3 Auditory output correlation	Not Applicable	Voxly is a web application and does not have closed functionality. These criteria apply to ICT with closed functionality only.
5.1.3.4 Speech output user control	Not Applicable	Voxly is a web application and does not have closed functionality. These criteria apply to ICT with closed functionality only.
5.1.3.5 Speech output automatic interruption	Not Applicable	Voxly is a web application and does not have closed functionality. These criteria apply to ICT with closed functionality only.
5.1.3.6 Speech output for non-text content	Not Applicable	Voxly is a web application and does not have closed functionality. These criteria apply to ICT with closed functionality only.
5.1.3.7 Speech output for video information	Not Applicable	Voxly is a web application and does not have closed functionality. These criteria apply to ICT with closed functionality only.
5.1.3.8 Masked entry	Not Applicable	Voxly is a web application and does not have closed functionality. These criteria apply to ICT with closed functionality only.
5.1.3.9 Private access to personal data	Not Applicable	Voxly is a web application and does not have closed functionality. These criteria apply to ICT with closed functionality only.
5.1.3.10 Non-interfering audio output	Not Applicable	Voxly is a web application and does not have closed functionality. These criteria apply to ICT with closed functionality only.
5.1.3.11 Private listening volume	Not Applicable	Voxly is a web application and does not have closed functionality. These criteria apply to ICT with closed functionality only.
5.1.3.12 Speaker volume	Not Applicable	Voxly is a web application and does not have closed functionality. These criteria apply to ICT with closed functionality only.
5.1.3.13 Volume reset	Not Applicable	Voxly is a web application and does not have closed functionality. These criteria apply to ICT with closed functionality only.
5.1.3.14 Spoken languages	Not Applicable	Voxly is a web application and does not have closed functionality. These criteria apply to ICT with closed functionality only.
5.1.3.15 Non-visual error identification	Not Applicable	Voxly is a web application and does not have closed functionality. These criteria apply to ICT with closed functionality only.

Criteria	Conformance Level	Remarks and Explanations
5.1.3.16 Receipts, tickets, and transactional outputs	Not Applicable	Voxly is a web application and does not have closed functionality. These criteria apply to ICT with closed functionality only.
5.1.4 Functionality closed to text enlargement	Not Applicable	Voxly is a web application and does not have closed functionality. These criteria apply to ICT with closed functionality only.
5.1.5 Visual output for auditory information	Not Applicable	Voxly is a web application and does not have closed functionality. These criteria apply to ICT with closed functionality only.
5.1.6 Operation without keyboard interface	Heading cell – no response required	Heading cell – no response required
5.1.6.1 Closed functionality	See 5.1.3.1 through 5.1.3.16	See information in 5.1.3.1 through 5.1.3.16
5.1.6.2 Input focus	Not Applicable	Voxly is a web application and does not have closed functionality. These criteria apply to ICT with closed functionality only.
5.1.7 Access without speech	Not Applicable	Voxly is a web application and does not have closed functionality. These criteria apply to ICT with closed functionality only.
5.2 Activation of accessibility features	Not Applicable	Accessibility features are provided through the web browser and operating system, not through Voxly-specific activation mechanisms.
5.3 Biometrics	Not Applicable	Voxly does not use biometric identification. Authentication is via email/password or email-based access links.
5.4 Preservation of accessibility information during conversion	Supports	When converting content (e.g., processing uploaded documents for course material), the system preserves text content which maintains accessibility information for downstream use.
5.5 Operable parts	Heading cell – no response required	Heading cell – no response required
5.5.1 Means of operation	Not Applicable	Voxly is a web application and does not include physical operable parts, hardware controls, locking/toggle controls, or physical keys.
5.5.2 Operable parts discernibility	Not Applicable	Accessibility features are provided through the web browser and operating system, not through Voxly-specific activation mechanisms.
5.6 Locking or toggle controls	Heading cell – no response required	Heading cell – no response required
5.6.1 Tactile or auditory status	Not Applicable	Voxly is a web application and does not include physical operable parts, hardware controls, locking/toggle controls, or physical keys.
5.6.2 Visual status	Not Applicable	Voxly is a web application and does not include physical operable parts, hardware controls, locking/toggle controls, or physical keys.
5.7 Key repeat	Not Applicable	Voxly is a web application and does not include physical operable parts, hardware controls, locking/toggle controls, or physical keys.
5.8 Double-strike key acceptance	Not Applicable	Voxly is a web application and does not include physical operable parts, hardware controls, locking/toggle controls, or physical keys.
5.9 Simultaneous user actions	Not Applicable	Voxly is a web application and does not include physical operable parts, hardware controls, locking/toggle controls, or physical keys.

Clause 6: ICT with Two-Way Voice Communication

Notes:

Criteria	Conformance Level	Remarks and Explanations
6.1 Audio bandwidth for speech	Not Applicable	Voxly is not an ICT product providing two-way voice communication. The AI tutor feature uses text-based interaction, not voice telephony.
6.2 Real-time text (RTT) functionality	Heading cell – no response required	Heading cell – no response required
6.2.1.1 RTT communication	Not Applicable	Voxly is not an ICT product providing two-way voice communication. The AI tutor feature uses text-based interaction, not voice telephony.
6.2.1.2 Concurrent voice and text	Not Applicable	Voxly is not an ICT product providing two-way voice communication. The AI tutor feature uses text-based interaction, not voice telephony.
6.2.2.1 Visually distinguishable display	Not Applicable	Voxly is not an ICT product providing two-way voice communication. The AI tutor feature uses text-based interaction, not voice telephony.
6.2.2.2 Programmatically determinable send and receive direction	Not Applicable	Voxly is not an ICT product providing two-way voice communication. The AI tutor feature uses text-based interaction, not voice telephony.
6.2.2.3 Speaker identification	Not Applicable	Voxly is not an ICT product providing two-way voice communication. The AI tutor feature uses text-based interaction, not voice telephony.
6.2.2.4 Visual indicator of Audio with RTT	Not Applicable	Voxly is not an ICT product providing two-way voice communication. The AI tutor feature uses text-based interaction, not voice telephony.
6.2.3 Interoperability	Not Applicable	Voxly is not an ICT product providing two-way voice communication. The AI tutor feature uses text-based interaction, not voice telephony.
6.2.4 RTT responsiveness	Not Applicable	Voxly is not an ICT product providing two-way voice communication. The AI tutor feature uses text-based interaction, not voice telephony.
6.3 Caller ID	Not Applicable	Voxly is not an ICT product providing two-way voice communication. The AI tutor feature uses text-based interaction, not voice telephony.
6.4 Alternatives to voice-based services	Not Applicable	Voxly is not an ICT product providing two-way voice communication. The AI tutor feature uses text-based interaction, not voice telephony.
6.5 Video communication	Heading cell – no response required	Heading cell – no response required
6.5.1 General (informative)	Heading cell – no response required	Heading cell – no response required
6.5.2 Resolution	Not Applicable	Voxly is not an ICT product providing two-way voice communication. The AI tutor feature uses text-based interaction, not voice telephony.
6.5.3 Frame rate	Not Applicable	Voxly is not an ICT product providing two-way voice communication. The AI tutor feature uses text-based interaction, not voice telephony.
6.5.4 Synchronization between audio and video	Not Applicable	Voxly is not an ICT product providing two-way voice communication. The AI tutor feature uses text-based interaction, not voice telephony.
6.5.5 Visual indicator of audio with video	Not Applicable	Voxly is not an ICT product providing two-way voice communication. The AI tutor feature uses text-based interaction, not voice telephony.
6.5.6 Speaker identification with video (sign language) communication	Not Applicable	Voxly is not an ICT product providing two-way voice communication. The AI tutor feature uses text-based interaction, not voice telephony.

Criteria	Conformance Level	Remarks and Explanations
6.6 Alternatives to video-based services (advisory only)	Advisory – no response required	Advisory – no response required

Clause 7: ICT with Video Capabilities

Notes:

Criteria	Conformance Level	Remarks and Explanations
7.1 Caption processing technology	Heading cell – no response required	Heading cell – no response required
7.1.1 Captioning playback	Not Applicable	Voxly does not provide video playback or video communication as a core ICT feature. The AI avatar provides supplementary visual feedback only and is not a video content delivery mechanism.
7.1.2 Captioning synchronization	Not Applicable	Voxly does not provide video playback or video communication as a core ICT feature. The AI avatar provides supplementary visual feedback only and is not a video content delivery mechanism.
7.1.3 Preservation of captioning	Not Applicable	Voxly does not provide video playback or video communication as a core ICT feature. The AI avatar provides supplementary visual feedback only and is not a video content delivery mechanism.
7.1.4 Captions characteristics	Not Applicable	Voxly does not provide video playback or video communication as a core ICT feature. The AI avatar provides supplementary visual feedback only and is not a video content delivery mechanism.
7.1.5 Spoken subtitles	Not Applicable	Voxly does not provide video playback or video communication as a core ICT feature. The AI avatar provides supplementary visual feedback only and is not a video content delivery mechanism.
7.2.1 Audio description playback	Not Applicable	Voxly does not provide video playback or video communication as a core ICT feature. The AI avatar provides supplementary visual feedback only and is not a video content delivery mechanism.
7.2.2 Audio description synchronization	Not Applicable	Voxly does not provide video playback or video communication as a core ICT feature. The AI avatar provides supplementary visual feedback only and is not a video content delivery mechanism.
7.2.3 Preservation of audio description	Not Applicable	Voxly does not provide video playback or video communication as a core ICT feature. The AI avatar provides supplementary visual feedback only and is not a video content delivery mechanism.
7.3 User controls for captions and audio description	Not Applicable	Voxly does not provide video playback or video communication as a core ICT feature. The AI avatar provides supplementary visual feedback only and is not a video content delivery mechanism.

Clause 8: Hardware

Notes:

Criteria	Conformance Level	Remarks and Explanations
8.1.1 Generic requirements	Heading cell – no response required	Heading cell – no response required
8.1.2 Standard connections	Not Applicable	Voxly is a web application and does not include hardware components.

Criteria	Conformance Level	Remarks and Explanations
8.1.3 Colour	Not Applicable	Voxly is a web application and does not include hardware components.
8.2 Hardware products with speech output	Heading cell – no response required	Heading cell – no response required
8.2.1.1 Speech volume range	Not Applicable	Voxly is a web application and does not include hardware components.
8.2.1.2 Incremental volume control	Not Applicable	Voxly is a web application and does not include hardware components.
8.2.2.1 Fixed-line devices	Not Applicable	Voxly is a web application and does not include hardware components.
8.2.2.2 Wireless communication devices	Not Applicable	Voxly is a web application and does not include hardware components.
8.3 Stationary ICT	Heading cell – no response required	Heading cell – no response required
8.3.2.1 Unobstructed high forward reach	Not Applicable	Voxly is a web application and does not include hardware components.
8.3.2.2 Unobstructed low forward reach	Not Applicable	Voxly is a web application and does not include hardware components.
8.3.2.3.1 Clear space	Not Applicable	Voxly is a web application and does not include hardware components.
8.3.2.3.2 Obstructed (< 510 mm) forward reach	Not Applicable	Voxly is a web application and does not include hardware components.
8.3.2.3.3 Obstructed (< 635 mm) forward reach	Not Applicable	Voxly is a web application and does not include hardware components.
8.3.2.4 Knee and toe clearance width	Not Applicable	Voxly is a web application and does not include hardware components.
8.3.2.5 Toe clearance	Not Applicable	Voxly is a web application and does not include hardware components.
8.3.2.6 Knee clearance	Not Applicable	Voxly is a web application and does not include hardware components.
8.3.3.1 Unobstructed high side reach	Not Applicable	Voxly is a web application and does not include hardware components.
8.3.3.2 Unobstructed low side reach	Not Applicable	Voxly is a web application and does not include hardware components.
8.3.3.3.1 Obstructed ($\leq$ 255 mm) side reach	Not Applicable	Voxly is a web application and does not include hardware components.
8.3.3.3.2 Obstructed ($\leq$ 610 mm) side reach	Not Applicable	Voxly is a web application and does not include hardware components.
8.3.4.1 Change in level	Not Applicable	Voxly is a web application and does not include hardware components.
8.3.4.2 Clear floor or ground space	Not Applicable	Voxly is a web application and does not include hardware components.
8.3.4.3.2 Forward approach	Not Applicable	Voxly is a web application and does not include hardware components.
8.3.4.3.3 Parallel approach	Not Applicable	Voxly is a web application and does not include hardware components.
8.3.5 Visibility	Not Applicable	Voxly is a web application and does not include hardware components.
8.3.6 Installation instructions	Not Applicable	Voxly is a web application and does not include hardware components.

Criteria	Conformance Level	Remarks and Explanations
8.4 Mechanically Operable parts	Heading cell – no response required	Heading cell – no response required
8.4.1 Numeric keys	Not Applicable	Voxly is a web application and does not include hardware components.
8.4.2.1 Means of operation of mechanical parts	Not Applicable	Voxly is a web application and does not include hardware components.
8.4.2.2 Force of operation of mechanical parts	Not Applicable	Voxly is a web application and does not include hardware components.
8.4.3 Keys, tickets and fare cards	Not Applicable	Voxly is a web application and does not include hardware components.
8.5 Tactile indication of speech mode	Not Applicable	Voxly is a web application and does not include hardware components.

Clause 9: Web (see WCAG 2.x section)

Notes:

Clause 10: Non-web Documents

Notes:

Criteria	Conformance Level	Remarks and Explanations
10.0 General (informative)	Heading cell – no response required	Heading cell – no response required
10.1.1.1 through 10.4.1.3	See WCAG 2.x section	See information in WCAG 2.x section
10.5 Caption positioning	Not Applicable	Voxly does not produce non-web documents with captions or audio descriptions. Generated reports (PDF exports) are supplementary to the web interface.
10.6 Audio description timing	Not Applicable	Voxly does not produce non-web documents with captions or audio descriptions. Generated reports (PDF exports) are supplementary to the web interface.

Clause 11: Software

Notes:

Criteria	Conformance Level	Remarks and Explanations
11.0 General (informative)	Heading cell – no response required	Heading cell – no response required
11.1.1.1 through 11.4.1.3	See WCAG 2.x section	See information in WCAG 2.x section
11.5 Interoperability with assistive technology	Heading cell – no response required	Heading cell – no response required
11.5.1 Closed functionality	Heading cell – no response required	Heading cell – no response required
11.5.2 Accessibility services	Heading cell – no response required	Heading cell – no response required
11.5.2.1 Platform accessibility service support for software that provides a user interface	See 11.5.2.5 through 11.5.2.17	See information in 11.5.2.5 through 11.5.2.17
11.5.2.2 Platform accessibility service support for assistive technologies	See 11.5.2.5 through 11.5.2.17	See information in 11.5.2.5 through
11.5.2.3 Use of accessibility services	See 11.5.2.5 through 11.5.2.17	See 11.5.2.5 through 11.5.2.17

Criteria	Conformance Level	Remarks and Explanations
11.5.2.4 Assistive technology	Not Applicable	Voxly is a web application, not native software. Assistive technology interoperability is provided through the web browser's accessibility APIs and standard HTML/ARIA semantics.
11.5.2.5 Object information	Not Applicable	Voxly is a web application, not native software. Assistive technology interoperability is provided through the web browser's accessibility APIs and standard HTML/ARIA semantics.
11.5.2.6 Row, column, and headers	Not Applicable	Voxly is a web application, not native software. Assistive technology interoperability is provided through the web browser's accessibility APIs and standard HTML/ARIA semantics.
11.5.2.7 Values	Not Applicable	Voxly is a web application, not native software. Assistive technology interoperability is provided through the web browser's accessibility APIs and standard HTML/ARIA semantics.
11.5.2.8 Label relationships	Not Applicable	Voxly is a web application, not native software. Assistive technology interoperability is provided through the web browser's accessibility APIs and standard HTML/ARIA semantics.
11.5.2.9 Parent-child relationships	Not Applicable	Voxly is a web application, not native software. Assistive technology interoperability is provided through the web browser's accessibility APIs and standard HTML/ARIA semantics.
11.5.2.10 Text	Not Applicable	Voxly is a web application, not native software. Assistive technology interoperability is provided through the web browser's accessibility APIs and standard HTML/ARIA semantics.
11.5.2.11 List of available actions	Not Applicable	Voxly is a web application, not native software. Assistive technology interoperability is provided through the web browser's accessibility APIs and standard HTML/ARIA semantics.
11.5.2.12 Execution of available actions	Not Applicable	Voxly is a web application, not native software. Assistive technology interoperability is provided through the web browser's accessibility APIs and standard HTML/ARIA semantics.
11.5.2.13 Tracking of focus and selection attributes	Not Applicable	Voxly is a web application, not native software. Assistive technology interoperability is provided through the web browser's accessibility APIs and standard HTML/ARIA semantics.
11.5.2.14 Modification of focus and selection attributes	Not Applicable	Voxly is a web application, not native software. Assistive technology interoperability is provided through the web browser's accessibility APIs and standard HTML/ARIA semantics.
11.5.2.15 Change notification	Not Applicable	Voxly is a web application, not native software. Assistive technology interoperability is provided through the web browser's accessibility APIs and standard HTML/ARIA semantics.
11.5.2.16 Modifications of states and properties	Not Applicable	Voxly is a web application, not native software. Assistive technology interoperability is provided through the web browser's accessibility APIs and standard HTML/ARIA semantics.
11.5.2.17 Modifications of values and text	Not Applicable	Voxly is a web application, not native software. Assistive technology interoperability is provided through the web browser's accessibility APIs and standard HTML/ARIA semantics.
11.6 Documented accessibility usage	Heading cell – no response required	Heading cell – no response required

Criteria	Conformance Level	Remarks and Explanations
11.6.1 User control of accessibility features	Not Applicable	Accessibility features are controlled through the user's browser and operating system settings, not through Voxly-specific accessibility settings.
11.6.2 No disruption of accessibility features	Not Applicable	Accessibility features are controlled through the user's browser and operating system settings, not through Voxly-specific accessibility settings.
11.7 User preferences	Supports	The web application respects user preferences set in the browser and operating system, including text size, color scheme (dark mode support), and reduced motion preferences where applicable.
11.8 Authoring tools	Heading cell – no response required	Heading cell – no response required
11.8.1 Content technology	Heading cell – no response required	Heading cell – no response required
11.8.2 Accessible content creation	See WCAG 2.x section (If not authoring tool, enter "Not Applicable")	See information in WCAG 2.x section
11.8.3 Preservation of accessibility information in transformations	Not Applicable	Voxly is not an authoring tool. These criteria do not apply.
11.8.4 Repair assistance	Not Applicable	Voxly is not an authoring tool. These criteria do not apply.
11.8.5 Templates	Not Applicable	Voxly is not an authoring tool. These criteria do not apply.

Clause 12: Documentation and Support Services

Notes:

Criteria	Conformance Level	Remarks and Explanations
12.1 Product documentation	Heading cell – no response required	Heading cell – no response required
12.1.1 Accessibility and compatibility features	Supports	Product documentation describes the accessibility features of Voxly, including keyboard navigation support, screen reader compatibility, skip navigation, and ARIA implementation. Documentation is available in accessible web format.
12.1.2 Accessible documentation	See WCAG 2.x section	See information in WCAG 2.x section
12.2 Support Services	Heading cell – no response required	Heading cell – no response required
12.2.2 Information on accessibility and compatibility features	Supports	Support services provide information about the accessibility and compatibility features of Voxly upon request via the designated contact email (accessibility@yempik.it).
12.2.3 Effective communication	Supports	Support services accommodate the communication needs of users with disabilities. Support is available via email, which is accessible to users of assistive technologies.
12.2.4 Accessible documentation	See WCAG 2.x section	See information in WCAG 2.x section

Clause 13: ICT Providing Relay or Emergency Service Access

Notes:

Criteria	Conformance Level	Remarks and Explanations
13.1 Relay services requirements	Heading cell – no response required	Heading cell – no response required
13.1.2 Text relay services	Not Applicable	Voxly is a learning management system and does not provide relay services or emergency service access.
13.1.3 Sign relay services	Not Applicable	Voxly is a learning management system and does not provide relay services or emergency service access.
13.1.4 Lip-reading relay services	Not Applicable	Voxly is a learning management system and does not provide relay services or emergency service access.
13.1.5 Captioned telephony services	Not Applicable	Voxly is a learning management system and does not provide relay services or emergency service access.
13.1.6 Speech to speech relay services	Not Applicable	Voxly is a learning management system and does not provide relay services or emergency service access.
13.2 Access to relay services	Not Applicable	Voxly is a learning management system and does not provide relay services or emergency service access.
13.3 Access to emergency services	Not Applicable	Voxly is a learning management system and does not provide relay services or emergency service access.

Legal Disclaimer (Company)

This Accessibility Conformance Report is provided for informational purposes and reflects the state of the Voxly LMS product at the time of evaluation (March 2026). Yempik S.r.l. makes reasonable efforts to ensure the accuracy of this report but does not guarantee that all accessibility barriers have been identified. The conformance levels stated herein are based on the evaluation methods described above and may be affected by updates to the product, browser changes, or assistive technology updates. For questions or to report accessibility issues, please contact accessibility@yempik.it.